

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
14 December 2000 (14.12.2000)

PCT

(10) International Publication Number
WO 00/75225 A2(51) International Patent Classification⁷: C08L 23/10

Francesco [IT/IT]; Via Cavour, 1, I-22070 Guanzate (IT). ARRIGHI, Franca [IT/IT]; Via ai Prati, 4, I-22070 Bulgarograsso (IT).

(21) International Application Number: PCT/EP00/05128

(22) International Filing Date: 5 June 2000 (05.06.2000)

(74) Agent: GISLON, Gabriele; Marietti e Gislone S.r.l., Via Larga, 16, I-20122 Milan (IT).

(25) Filing Language: English

(81) Designated States (*national*): BR, JP, KR, US.

(26) Publication Language: English

(84) Designated States (*regional*): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).(30) Priority Data:
99830351.5 4 June 1999 (04.06.1999) EP(71) Applicant (*for all designated States except US*): JOHN-
SON CONTROLS AUTOMOTIVE S.R.L. [IT/IT];
Strada Statale 11, Padana Superiore 2/B, I-20063 Cernusco
(IT).

Published:

— Without international search report and to be republished
upon receipt of that report.

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): MASCIA,*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: A FUNCTIONALIZED THERMOPLASTIC POLYMER COMPOSITION AND A PROCESS FOR ITS PREPARATION

(57) Abstract: A polyolefin-based thermoplastic formulation giving products with soft-touch and functionalized to be welded and painted comprises, by weight of the total weight of the polymers, 10-80 % of polypropylene, 10-85 % by weight of EP(D)M rubber, 0-40 % of polybutadiene, and 0.5-60 % of at least one unsaturated compound selected from: ethylene-vinyl acetate copolymers and terpolymers, NBR, ethylene-acrylic ester copolymers and terpolymers, and polybutadiene-based polyurethanes or their precursors, or mixtures thereof; with the proviso that the total amount of polybutadiene and unsaturated compounds is equal or less than 60 % by weight. The formulation is prepared via visbreaking of the above listed compounds with radical-generating agents.

WO 00/75225 A2